	Application No.	Applicant(s)
Notice of Allowability	09/871,983	ICHIKAWA ET AL.
	Examiner	Art Unit
	Barbara Summons	2817
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment and RCE received 28 May 2004.		
2. The allowed claim(s) is/are <u>1-7</u> .		
3. The drawings filed on <u>04 June 2001</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Notice of Informal P	ratent Application (PTO-152)
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	,,
Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	te
Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit	_	ent of Reasons for Allowance
of Biological Material	9. ⊠ Other <u>comment on </u>	nuo change.

REASONS FOR ALLOWANCE/COMMENTS

1. The following is an examiner's statement of reasons for allowance:

The Examiner agrees with Applicants' arguments that the prior art of record does not disclose or fairly suggest a surface acoustic wave device having each of the specifically recited features and, upon additional search, the Examiner found no prior art disclosing or suggesting the invention having the recited features, especially having "regions...whose ...propagation directions are opposite" (claim 1, lines 3-4) combined with "resonant modes of the transducers...coupled to prevent in-phase resonant frequency peaks from conforming to each other" (claim 1, lines 6-7).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Comments

- 2. It should be noted that the Title of the Invention has been changed to:
 - - SURFACE ACOUSTIC WAVE DEVICE UTILIZING OPPOSITE PROPAGATION DIRECTION REGIONS AND RESONANT MODE COUPLING -.
- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Application/Control Number: 09/871,983 Page 3

Art Unit: 2817

Tsuzuki et al. U.S. 6,476,691 discloses a surface acoustic wave (SAW) device having transducers connected in parallel, wherein the transducers have regions with opposite wave propagation directions (i.e. are RSPUDTs see Figs. 1-5), but does not particularly show the resonant frequency peaks or resonant mode coupling.

Ichikawa U.S. 6,462,633 has a common inventor with the instant application and also uses SPUDT transducers and transducers connected in parallel.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara Summons whose telephone number is (571) 272-1771. The examiner can normally be reached on M-Th, M-Fr.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bob Pascal can be reached on (571) 271-1769. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bs July 27, 2004

BARBARA SUMMONS
PRIMARY EXAMINER

Barlara Summono